

# 2014 Product Catalog/产品目录

Ver.:2014 A17

- 
- *ATM*
  - *Kiosk*
  - *Digital signage*
  - *Metal keyboard*
  - *POS*
  - *Thermal printer*
- 

2014 © Shenzhen ZHONGKONG Computers Co Ltd

深圳中控计算机有限公司

[www.zktek.com](http://www.zktek.com)

All rights reserved



# Index

3. About US/关于我们
4. Milestones/发展历程
5. Certificates/资质认证
6. Facts&Advantages/优势
7. ATM: AW31/AW32/AW61
8. Payment kiosk: A1/A3/A2/A4/A6/A7
9. Payment kiosk: A11/A12/ACBD802/AD8/APM2000/APM3000
10. Internet kiosk: F1/F2/F8/K1/K2/K1C
11. Touchscreen kiosk: T2/T5/T7/T11/T16/T18
12. Desktop and wall-mount kiosk: G1/G5/G2/J1/J2/J3
13. On-wall, stainless steel and recharge kiosk: J5/J9/J11/S2/S4/U20
14. Queue management kiosk: Q1/Q2/Q3/Q4/Q6/Q7
15. Outdoor, iPad, tablet kiosk: W1/W4/W5/X3/X6/X9
16. Touchscreen digital signages: D1/D2/D3/D5/D6/D11/D24
17. Touchscreen digital signages: D8A/D8B/D8B/D10/D26A/D26B
18. Touchscreen digital signages: D17/D18/27/D28/D29/D47
19. Wall-mounted digital signages: D20/D21/D22/D23/D25/D41/42
20. Metal keyboard/keypad: MKT2662/MKT2752/MKT2684/MKT2631/MKT2654/MKP2920
21. ADVANPOS POS: POS/ Panel PC/BOX PC/Mobile POS/POS Station/POS peripherals
22. ZEBRA thermal printers: KR203/KR403/TTP2000/TTP2100/TTP7030/112/TTP8000
23. Reference customers/参考客户
24. Contacts/联系方式





## About us/关于我们



ZKTEK, founded in 2010, is one of the major development, design and manufacturing companies in the kiosk industry. ZKTEK is a professional hardware solution provider for ATM, Kiosk, Digital signage, metal keyboard, POS, thermal printer and related products. With the exceptional R&D-oriented designing and development capabilities, ZKTEK is not only offering a full range of kiosk related products, but can also respond quickly to the rapid-changing marketplace and provide customer-specific products at the highest level of competency in quality, reliability and service.

ZKTEK is more than a kiosk hardware systems provider; our utmost guideline is to bring complete solution and satisfaction to each of our world-wide partners and end-users through:

1. Product creativity and innovation
2. Constant manufacturing process improvement
3. Maintenance of the highest quality of products and service

ZKTEK strives to be a professional OEM/ODM provider and aspires to create mutually beneficial situations with our global partners.

深圳中控计算机有限公司由中控集团有限公司于 2010 年 7 月注册成立，是一家从事 ATM，数字看板，自助终端, POS 终端和金属键盘系统的高科技公司，并在广东地区独家代理 ZEBRA 斑马技术 kiosk 打印机及研华工业级 POS 收银机。

深圳中控计算机有限公司通过 ISO9001:2008 质量体系认证,拥有生产，维护及销售高品质，多功能自助终端能力。本公司拥有完善的生产，组装及测试车间，拥有配套的大型高精密激光设备，数控冲床（CNC）、数控折弯机、多型号铣床等先进设备。具备灵活多样的弹性生产能力，全程可跟踪的完善的生产流程，质量检测和看板。经验丰富的工程设计人员在自助终端生产领域有 5 年以上的经验，知识结构层次高、经验丰富，对产品追求卓越，求新创新，对于自助项目的各环节都具有良好的沟通能力。

热忱欢迎广大客户参观指导。





## Milestones/发展历程

... to be continued.

2014

ZKTEK debut on COMPUTEX 2013 and K1C was awarded as innovative product by COMPUTEX; ZKTEK was awarded as the sole distributor of ZEBRA kiosk printer and ADVANPOS(by ADVANTECH) POS and panel PC; ZKTEK products are sold to HONGKONG, Japan, South America, Middle East, Africa and Ukrain; ZKTEK AW series ATM are introduced and get the order from famous telecom operator in South America;

2013

ZKTEK innovative media signage products are sold to Korean; ZKTEK F series kiosk is popular in world market and gain a lot of reputation from world wide deployment; ZKTEK become the partner with PROVISIO – an independent internet kiosk and payment kiosk developer based in EU; ZKTEK was recognized as the channel partner of ADVANTECH in kiosk industry;

2012

ZKTEK pass IOS9001:2008; ZKTEK iPad kiosk are exported to USA and FRANCE; ZKTEK MKT2752 was invented as mechanic internet kiosk special metal keyboard;



2011

ZKTEK was found by ZHONGKONG Group; ZKTEK B872 was introduced to kiosk industry as fanless all in one kiosk computer; ZKTEK metal keyboard was sold to India famous kiosk manufacturer and operator

2010



Certificates/资质认证





## Facts&Advantages/优势

### Experience that we have:

- ◆ 7 years indept experience of making “complicate” payment kiosks
- ◆ Door alarm control and signal control
- ◆ Understand all the requirements of the printers, bill validators, card dispensers/readers
- ◆ Aesthetics of kiosks
- ◆ OEM/ODM for
  - outdoor car rent kiosks,
  - health care kiosks,
  - gambling&gaming kiosks,
  - high-end airport kiosks,
  - internet kiosks,
  - boardingpass printing kiosks,
  - hotel checkin kiosks,
  - SIM card vending kiosks,
  - ATM, “Coin bank”(Coin ATM)






### Components those we use:

- The sole distributor of ZEBRA(formerly SWECOIN) thermal printer
- The sole distributor of ADVANPOS(subbrand for Advantech) POS, panel all in one PC and industrial computer
- Partner of bank note bill validator manufacturers: MEI, MoneyControls,MFS,CASHCODE;
- Partner of CUSTOM, EPSON, Fujitsu,Delarue,GRG,

### Quality that we take:

- Wiring&tags – All cables are **trimmed** with tunnels and ducts, and have proper tags and terminals for CE compliance. All outlets have indicators or prompts.
- Large scale deployment – ZKTEK has made ATM, ticket vending kiosks, card dispensing kiosks, outdoor digital signages and health care stations with large scale of deployment all over the world. We are the trust-worthy manufacturer behind your brands.
- Lead time - ZKTEK has the manufacturing facility to process your order with short lead time: around 35 to 45 days for most samples
- Delivery –ZKTEK makes delivery to your door









							
<b>Model Number</b>		AW31	AW32	AW61			
<b>Featured function</b>		Multi-currency bill recycler	SIM card dispenser	Large volume Cash Dispenser			
<b>Installation</b>		Outdoor wall-through ATM	Outdoor wall-through ATM	Outdoor wall-through ATM			
<b>Touchscreen monitor</b>		12.1" capacitive touch display	17" SAW touch monitor	17" SAW touch monitor			
<b>Host Computer</b>	Processor(CPU)	Intel® Core™ i5/LGA 1155/32nm/3.0GHz/L2 Cache 2x256K					
	Motherboard	ADVANTECH AIMB-581 Micro ATX industrial motherboard,2USB3.0, 10USB2.0, 6 COM, and Dual LAN, 2PCI,PCIe x 16,PCIe x 4					
	RAM	4GB DDRIII					
	Storage Disk	500G HDD					
	Power Supply	1U industrial power supply					
<b>Credit Card reader</b>		Motorized hybrid Card Reader – Magnetic/Credit card, IC, RFID card					
<b>Metal PIN pad</b>		3DES 16 keys all stainless steel metal PIN pad					
<b>Barcode scanner</b>		HONEYWELL 4823F 1D Laser Barcode Scanner	-				
<b>Thermal receipt printer</b>		80mm Receipt Thermal Printer	KR203(WINDOWS)/KR403(Linux)/TG2480(Linux)				
<b>Cash bank note validator</b>		JCM iPRO-RC bill recycler	MEI CASHFLOW SCL83	-			
<b>Cash bank note dispenser</b>		-	Korean MFS SDM2000	NCR 5627			
<b>Coin acceptor</b>		MoneyControls SR3/NRI G13		-			
<b>Coin dispenser</b>		MoneyControls Compact Hopper SBB(2 denominations)		-			
<b>UPS</b>		CSTK C1KS 1KVA/700W 220V					
<b>Audio&amp;MIC</b>		2.0 audio	Front MIC	2.0 audio	Front MIC	2.0 audio	Front MIC
<b>Camera</b>		PIN hole Camera					
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above					
<b>Add-ons</b>		Rear access monitor/lightbox/Custom LOGO&paint/WIFI/Card dispenser					












8

							
		<b>Model Number</b>	A1	A3	A2	A4	A6
<b>Featured function</b>		Bank Passbook printing		Invoice and bank Passbook printing			Cash&invoice
<b>Installation</b>		Hall type					
<b>Touchscreen monitor</b>		12.1"/15"/17" Resistive/ Capacitive/SAW touch monitor					
<b>Host Computer</b>	Processor(CPU)	Intel Core 2 Duo E6600/3.0GHz/LGA775					
	Motherboard	ADVANTECH AIMB-562-KIOSK Micro ATX industrial motherboard, 10COM, 2 SATA, 8 USB 2.0,1GbE,1LPT, 2PCI, 1PCIeX1, Dual VGA(optional), LVDS or DVI					
	RAM	4GB DDRII					
	Storage Disk	500G HDD					
	Power Supply	1U industrial power supply					
<b>Credit Card reader</b>		Motorized hybrid Card Reader – Magnetic/Credit card, IC, RFID card					
<b>Metal PIN pad</b>		3DES 16 keys all stainless steel metal PIN pad					
<b>Thermal receipt printer</b>		80mm Receipt Thermal Printer KR203(WINDOWS)/KR403(Linux)/TG2480(Linux)					
<b>Dotmatrix invoice Printer</b>		-	-	Multilayer dot-matrix printer			
<b>Passbook Printer</b>		Bank Passbook Printer					-
<b>RFID card reader</b>		-	Mifare one contactless cardreader		-	-	
<b>UPS</b>		CSTK C1KS 1KVA/700W 220V					
<b>Audio&amp;MIC</b>		2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio
<b>Camera</b>		PIN hole Camera					
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above					
<b>Add-ons</b>		List printer/Custom LOGO&paint/WIFI/Card dispenser/barcode reader/cash acceptor/coin mechanism					













							
<b>Model Number</b>		A11	A12	ACBD802	AD8	APM2000	APM3000
<b>Featured function</b>		Bank Passbook printing		Coin bank	Dualscreen	Ticket vending	
<b>Installation</b>		Hall type					
<b>Touchscreen monitor</b>		15/17" Resistive/ Capacitive/SAW touch monitor					
<b>Host Computer</b>	Processor(CPU)	Intel Core 2 Duo E6600/3.0GHz/LGA775					
	Motherboard	ADVANTECH AIMB-562-KIOSK Micro ATX industrial motherboard, 10COM, 2 SATA, 8 USB 2.0,1GbE,1LPT, 2PCI, 1PCIeX1, Dual VGA(optional), LVDS or DVI					
	RAM	4GB DDRII					
	Storage Disk	500G HDD					
	Power Supply	1U industrial power supply					
<b>Credit Card reader</b>		Motorized hybrid Card Reader – Magnetic/Credit card, IC, RFID card					
<b>Metal PIN pad</b>		3DES 16 keys all stainless steel metal PIN pad					
<b>Thermal receipt printer</b>		80mm Receipt Thermal Printer KR203(WINDOWS)/KR403(Linux)/TG2480(Linux)					
<b>Dotmatrix invoice Printer</b>		Multilayer dot-matrix printer	-	dot-matrix printer	-		
<b>Passbook Printer</b>		Bank Passbook Printer	-	-	-	-	
<b>Cash/Coin Validator</b>		-	-	Coin Machine	Cash validate	Cash recycler	
<b>UPS</b>		CSTK C1KS 1KVA/700W 220V					
<b>Audio&amp;MIC</b>		2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio
<b>Camera</b>		PIN hole Camera					
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above					
<b>Add-ons</b>		List printer/Custom LOGO&paint/WIFI/Card dispenser/barcode reader/cash acceptor/coin mechanism					











10

							
<b>Model Number</b>		F1	F2	F8	K1	K2	K1C
<b>Features</b>		Industrial, Internet and slim		A4 laser printer	Ultra Slim with metal keyboard		
<b>Installation</b>		Free standing					
<b>Touchscreen monitor</b>		15"/17"/19"/22" Resistive/IR/Capacitive/SAW touch monitor					
<b>Host Computer</b>	Processor(CPU)	Intel Core i5/3.0GHz/LGA1155					
	Motherboard	ZKTEK TH-H61 mini ITX industrial mother board on H61 chipset , 1*GbE RJ45 Net Port, 2*RS232, 2* mini PCIe, 9 USB ports, M-PCIe					
	RAM	4GB DDRIII					
	Storage Disk	60G SSD					
	Power Supply	100V-240V AC input, 12V DC output industrial power supply					
<b>Metal keyboard</b>		ZKTEK MKT2752 64Keys Industrial Metal Keyboard with Trackball/Touchpad(IP65 NEMA 4X);					
<b>GPRS modem</b>		SMS modem	-	-	Simemse MC55 GPRS dual band SMS modem		
<b>Printer</b>		80mm Receipt Thermal Printer		HP P1108			
<b>Credit Card reader</b>		-	Dip cardreader	-	-		
<b>UPS</b>		CSTK C1KS 1KVA/700W 220V			-		
<b>Audio&amp;MIC</b>		2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio
<b>Camera</b>		PIN hole Camera					
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above					
<b>Add-ons</b>		Custom LOGO&paint/WIFI/Card dispenser/barcode reader/cash acceptor/coin mechanism					











						
<b>Model Number</b>	T2	T5 Thermal, dot-matrix and laser printers	T7	T11	T16	T18
<b>Features</b>	Sleek design		Elevator	Multi-function		Acrylic front
<b>Installation</b>	Freestanding					
<b>Touchscreen monitor</b>	15"/17"/19"/22" Resistive/IR/Capacitive/SAW touch monitor					
<b>Host Computer</b>	Processor(CPU)	Intel Core i5/3.0GHz/LGA1155				
	Motherboard	ZKTEK TH-H61 mini ITX industrial mother board on H61 chipset , 1*GbE RJ45 Net Port,2*RS232, 2* mini PCIe,9 USB ports,M-PCIe				
	RAM	4GB DDRIII				
	Storage Disk	60G SSD				
	Power Supply	100V-240V AC input, 12V DC output industrial power supply				
<b>Credit Card reader</b>	-	Motorized hybrid Card Reader – Magnetic/Credit card, IC, RFID				-
<b>Metal PIN pad</b>	-	3DES 16 keys all stainless steel metal PIN pad				-
<b>Thermal receipt printer</b>	-	80mm Receipt Thermal Printer KR203(WINDOWS)				-
<b>Dotmatrix invoice Printer</b>	-	Dot-matrix	-	Dot-matrix	Dot-matrix	-
<b>A4 laser printer</b>	-	HP M401D	-	-	-	-
<b>Miscellaneous</b>	-	BarcodeReader	Elevator	-	2D barcode, RFID, media	-
<b>UPS</b>	-	UPS	-	-	UPS	-
<b>Audio&amp;MIC</b>	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio
<b>Camera</b>	-	PIN hole Camera				-
<b>OS compatibility</b>	XP, WIN 7, POS ready, WinCE, XPe, WES					
<b>Add-ons</b>	Custom LOGO&paint/WIFI/Card dispenser/barcode reader/cash acceptor/coin mechanism					











12

							
<b>Model Number</b>		G1	G5	G2	J1	J2	J3
<b>Features</b>		Keyboard	Bank printer	Desktop	Wall mounted payment		Semi-outdoor
<b>Installation</b>		Desktop countertop			Wall mounted		
<b>Touchscreen monitor</b>		15"/17"/19"/22" Resistive/IR/Capacitive/SAW touch monitor					
<b>Host Computer</b>	Processor(CPU)	Intel Core i3/1.8GHz/BGA					
	Motherboard	ZKTEK TN-3217U mini-ITX industrial motherboard,2*RS232, 6 USB 2.0,1GbE,2SATA, 2mini PCIe, VGA, LVDS(optional) and HDMI					
	RAM	4GB DDRIII					
	Storage Disk	60G SSD					
	Power Supply	100V-240V AC input, 12V DC output industrial power supply					
<b>Credit Card reader</b>		-		Motorized hybrid Card Reader – Magnetic/Credit card, IC, RFID			
<b>Metal PIN pad</b>		3DES 16 keys all stainless steel metal PIN pad					
<b>Thermal receipt printer</b>		-	-	80mm Receipt Thermal Printer KR203(WINDOWS)/KR403(Linux)			
<b>Dotmatrix invoice Printer</b>		-	-	-	-	Multilayer dot-matrix printer	
<b>Passbook Printer</b>		-	Passbook Printer	-	-	-	-
<b>RFID card reader</b>		-		Mifare one contactless cardreader(motorized)			
<b>UPS</b>		-	-	-	CSTK C1KS 1KVA/700W 220V		
<b>Audio&amp;MIC</b>		2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio
<b>Camera</b>		-	-	-	Camera	Camera	Camera
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above					
<b>Add-ons</b>		Custom LOGO&paint/WIFI/Card dispenser/barcode reader/cash acceptor/coin mechanism					











							
<b>Model Number</b>		J5	J9	J11	S2	S4	U20
<b>Features</b>		Wall mounted with protection		Stainless steel			Recharge
<b>Installation</b>		On wall mounted			Freestanding	Wall mounted	Fix on floor
<b>Touchscreen monitor</b>		15"/17"/19"/22" Resistive/IR/Capacitive/SAW touch monitor					
<b>Host Computer</b>	Processor(CPU)	Intel Core i3/1.8GHz/BGA					
	Motherboard	ZKTEK TN-3217U mini-ITX industrial motherboard,2*RS232, 6 USB 2.0,1GbE,2SATA, 2mini PCIe, VGA, LVDS(optional) and HDMI					
	RAM	4GB DDRIII					
	Storage Disk	60G SSD					
	Power Supply	100V-240V AC input, 12V DC output industrial power supply					
<b>Credit Card reader</b>		-	3DES 16 keys metal PIN pad	-	-	-	-
<b>Metal PIN pad</b>		-	3DES 16 keys metal PIN pad	-	-	-	-
<b>Thermal receipt printer</b>			80mm Receipt Thermal Printer	-	-		58mm printer
<b>Biometric reader</b>		-	-	-	-	Biometric reader	
<b>Barcode reader</b>	Laser barcode	-	2D barcode	-	-		Laser barcode
<b>RFID card reader</b>	-	Mifare one contactless reader		-	-		-
<b>UPS</b>		CSTK C1KS 1KVA/700W 220V		-	-		UPS
<b>Audio&amp;MIC</b>	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio
<b>Camera</b>	PIN hole Camera						
<b>OS compatibility</b>	XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above						
<b>Add-ons</b>	Custom LOGO&paint/WIFI/Card dispenser/barcode reader/cash acceptor/coin mechanism						











14

							
<b>Model Number</b>		Q1	Q2	Q3	Q4	Q6	Q7
<b>Features</b>		Simple and classic model			Slim queue machine		New design
<b>Installation</b>		Stand alone type					
<b>Touchscreen monitor</b>		15"/17" SAW touch monitor					
<b>Host Computer</b>	Processor(CPU)	Intel Core 2 Duo E6600/3.0GHz/LGA775					
	Motherboard	ONDATA H61 Micro ATX commercial motherboard, 1COM, 2 SATA, 8 USB 2.0,1GbE, 1PCIeX1, VGA and DVI					
	RAM	4GB DDRII					
	Storage Disk	500G HDD					
	Power Supply	1U industrial power supply					
<b>Credit Card reader</b>		Motorized	-	Manual swipe	-		
<b>Metal PIN pad</b>		3DES 16 keys	-	3DES 16 keys metal PIN pad			
<b>Thermal receipt printer</b>		80mm Receipt Thermal Printer KR203(WINDOWS)/KR403(Linux)/TG2480(Linux)					
<b>RFID card reader</b>		-	Mifare one contactless cardreader				-
<b>UPS</b>		-	-	-	-	-	-
<b>Audio&amp;MIC</b>		2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio
<b>Camera</b>		Camera	Camera	Camera	Camera	Camera	Camera
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above					
<b>Add-ons</b>		Custom LOGO&paint/WIFI/Card dispenser/barcode reader/cash acceptor/coin mechanism					





							
<b>Model Number</b>		W1	W4	W5	X3	X6	X9
<b>Features</b>		Outdoor digital signage		Outdoor	iPAD kiosk case		For Samsung
<b>Installation</b>		Stand alone	Fixed to ground		Freestanding		
<b>Touchscreen monitor</b>		32" monitor	17" SAW touch monitor		9.7" touch display(from iPAD)		10.1" Tablet
<b>Host Computer</b>	Processor(CPU)	Intel Core 2 Duo E6600/3.0GHz/LGA775			Dual-core Apple A5X/A6/A7		n/a
	Motherboard	ADVANTECH AIMB-562-KIOSK Micro ATX industrial motherboard, 10COM, 2 SATA, 8 USB 2.0,1GbE,1LPT, 2PCI, 1PCIeX1, LVDS or DVI			n/a		n/a
	RAM	4GB DDRII			1G/2G		n/a
	Storage Disk	500G HDD			16G/32G/64G		16G/32G/64G
	Power Supply	1U industrial power supply			42.5-watt-hour battery		n/a
<b>Air-conditioner</b>		Air-conditioner			-	-	-
<b>RFID card reader</b>		Mifare one	-	-	-	Mifare one	Mifare one
<b>UPS</b>		-	-	UPS	-	-	-
<b>Audio&amp;MIC</b>		2.0 audio	2.0 audio	2.0 audio	1.0 audio	1.0 audio	1.0 audio
<b>Camera</b>		Camera					
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES			iOS		Android
<b>Add-ons</b>		Custom LOGO&paint/WIFI/Card dispenser/barcode reader/cash acceptor/coin mechanism					





16

								
<b>Model Number</b>		D1	D2	D3	D5	D6	D11	D24
<b>Features</b>		Slope LCD	Classic	Custom	Sleek slim	Classic	Sturdy	New design
<b>Installation</b>		Hall type						
<b>Touchscreen monitor</b>		17"/19"/22"/32"/42"/55" touchscreen monitor with IPS LCD display						
<b>Host Computer</b>	Processor(CPU)	Intel Core i5 4570 CPU/Haswell LGA1150/3.2GHz/ 6M L2 Cache/22nm						
	Motherboard	ZKTEK TH-H81S mini ITX industrial mother board on H81 chipset, 1*GbE RJ45 Net Port,1*RS232, 1*PCIe X16, 2* mini PCIe,10 USB ports, VGA, DVI and HDMI						
	RAM	4GB DDRIII						
	Storage Disk	500G HDD						
	Power Supply	1U industrial power supply						
<b>RFID</b>		RFID	RFID	-	RFID	-	-	-
<b>Audio&amp;MIC</b>		2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio
<b>Software</b>		-	-	-	-	-	-	-
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above						
<b>Add-ons</b>		65"/70"/80" and above size LCD/Custom LOGO&paint/WIFI/Card dispenser/barcode reader/cash acceptor/coin mechanism						













		D8A	D8B	D8B	D10	D26A	D26B	
<b>Model Number</b>		Adjustable height			Multi-size	Table type		
<b>Features</b>		Hall type			Surface fixed			
<b>Installation</b>		17"/19"/22"/32"/42"/55" touchscreen monitor with IPS LCD display						
<b>Host Computer</b>	Processor(CPU)	Intel Core i5 4570 CPU/Haswell LGA1150/3.2GHz/ 6M L2 Cache/22nm						
	Motherboard	ZKTEK TH-H81D mini ITX industrial mother board on H81 chipset, 2*GbE RJ45 Net Port,1*RS232, 1*PCIe X16, 2* mini PCIe,10 USB ports, VGA, DVI and HDMI						
	RAM	4GB DDRIII						
	Storage Disk	500G HDD						
	Power Supply	1U industrial power supply						
<b>Thermal receipt printer</b>		80mm KR403	-				80mm KR203	
<b>Audio&amp;MIC</b>		2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	
<b>Software</b>		-	-	-	-	-	-	
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above						
<b>Add-ons</b>		65"/70"/80" and above size LCD/Custom LOGO&paint/WIFI/Card dispenser/barcode reader/cash acceptor/coin mechanism						











18

							
<b>Model Number</b>		D17	D18	D27	D28	D29	D47
<b>Features</b>		Vertical LCD	Adjustable	Slope touchscreen monitors		Adjustable	Table type
<b>Installation</b>		Hall type	Fix to floor	Stand alone		Free stand	Table surface
<b>Touchscreen monitor</b>		17"/19"/22"/32"/42"/55" touchscreen monitor with IPS LCD display					
<b>Host Computer</b>	Processor(CPU)	Intel Core i5 4570 CPU/Haswell LGA1150/3.2GHz/ 6M L2 Cache/22nm					
	Motherboard	ZKTEK TH-H81D mini ITX industrial mother board on H81 chipset, 2*GbE RJ45 Net Port,1*RS232, 1*PCIe X16, 2* mini PCIe,10 USB ports, VGA, DVI and HDMI					
	RAM	4GB DDRIII					
	Storage Disk	500G HDD					
	Power Supply	1U industrial power supply					
<b>Adjustable mechanism</b>		-	Manual adj	-	-	Manual adj	-
<b>Audio&amp;MIC</b>		2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio
<b>Software</b>		-	-	-	-	-	-
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above					
<b>Add-ons</b>		65"/70"/80" and above size LCD/Custom LOGO&paint/WIFI/Card dispenser/barcode reader/cash acceptor/coin mechanism					











							
<b>Model Number</b>		D20	D21	D22	D23	D25	D41/42
<b>Features</b>		Super slim wall mounted				Round corner	Flying rigging
<b>Installation</b>		Wall mounted					
<b>Touchscreen monitor</b>		17"/19"/22"/32"/42"/55" LCD					
<b>Host Computer</b>	Processor(CPU)	Intel Core Celeron Ivy Bridge/1.8GHz/BGA			ALLWIN A10/A20		
	Motherboard	ZKTEK TN-1037U mini-ITX industrial motherboard,2*RS232, 6 USB 2.0,1GbE,2SATA, 2mini PCIe, VGA, LVDS(optional) and HDMI			SZ-DB10		
	RAM	4GB DDRIII			1G DDR3		
	Storage Disk	60G SSD			4G NAND		
	Power Supply	100V-240V AC input, 12V DC output industrial power supply					
<b>3G wireless network/WIFI</b>		-	-	3G	WIFI	WIFI	WIFIs
<b>Audio&amp;MIC</b>		2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio	2.0 audio
<b>Ads application Software</b>		-	-	-	Multimedia information publishing system(free)		
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES, Linux			Linux or Android		
<b>Add-ons</b>		65"/70"/80" and above size LCD/Custom LOGO&paint/WIFI					











20

						
<b>Model Number</b>	MKT2662	MKT2752	MKT2684	MKT2631	MKT2654	MKP2920
<b>Features</b>	Most popular	Mechanic	Rear mount	Small size	Key shape	3DES PIN pad
<b>Installation</b>	Front mount		Rear mount	Front mount		
<b>Front panel size(mm)</b>	392.0 x 110.0	372.0 x 102.0	400.0 x 124.0	330.0 x 100.0	370.0 x 110.0	91.5 x 100.0
<b>Rear base plate size(mm)</b>	416.0 x 134.0	394.0 x 124.0	392.0 x 110.0	354.0 x 124.0	395.0 x 134.0	95.0 x 140.0
<b>Trackball size</b>	38mm	38mm	38mm	38mm	38mm	-
<b>Key actuation force</b>	120g/1.2N	80g/0.8N	120g/1.2N	120g/1.2N	100g/1.0N	120g/1.18N
<b>Key durability</b>	> 1 million actuation					
<b>Trackball material</b>	Stainless steel					-
<b>Panel material</b>	Stainless steel					
<b>Base material</b>	Duraluminum					
<b>Ambient protection</b>	IP65					
<b>Rugged vandalism protection</b>	IK7					
<b>EMC</b>	EN55022: 1988+A1:2000+A2:2003, EN55024: 1988+A1:2001+A2:2003					
<b>Interface</b>	USB/PS2					USB&RS232
<b>Net weight</b>	Appr. 1.8kg	Appr. 1.8kg	Appr. 1.9kg	Appr. 1.8kg	Appr. 1.8kg	Appr. 0.7kg
<b>OS compatibility</b>	XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above					
<b>Add-ons</b>	Mechanic/Optical trackball/25mm trackball/Touchpad/custom logo/custom layout of keys/custom output value/beeper/					





						
<b>Product Type</b>	POS terminal	POS Panel PC	POS BOX PC	Mobile POS	POS Station	POS peripherals
<b>Featured function</b>	Industrial and good design		Fan less	Portable	Integrated	Quality
<b>Installation</b>	Customizable					
<b>Touchscreen monitor</b>	Customizable					
<b>Host Computer</b>	Processor(CPU)	Customizable				
	Motherboard	Customizable				
	RAM	Customizable				
	Storage Disk	Customizable				
	Power Supply	Customizable				
<b>Audio&amp;MIC</b>	Customizable					
<b>Software</b>	Include and Customizable					
<b>OS compatibility</b>	XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above					
<b>Add-ons</b>	Custom LOGO&paint/WIFI/card reader/barcode reader/printer/POS					





22

<b>Model Number</b>		KR203	KR403	TTP2000	TTP2100	TTP7030/112	TTP8000	
<b>Features</b>		Cost-effect	For slim kiosk Linux OS	Ticket printer	Air tickets	110mm(A5)	210mm(A4 size)	
<b>Installation</b>		Embedded type						
<b>Maximum Paper width</b>		82.5mm	82.5mm	82.5mm	82.5mm	112mm	216mm	
<b>Media type</b>	Media Width	2.3"/58 mm, 2.4"/60 mm, 3.15"/80 mm and 3.3"/82.5 mm				80-112mm		210-216mm
	Maximum Roll Size	9.8"/250mm						
	Core Diameter	1"/25 mm typical, 0.5"/12 mm with accessories			3.0"/76 mm		1.0"/25 mm	2.0"/50 mm
	Media Thickness	0.002"/0.054mm to 0.004"/0.11mm			0.004"/0.11mm - 0.01"/0.26mm		0.002"/0.054mm	0.002"/0.054mm - 0.004"/0.11mm
	Media Types	Roll or fanfold paper						
<b>Resolution</b>		203 dpi/8 dots per mm						
<b>Minimum Print Length</b>		3.6"/92 mm	2.75"/70 mm			3.0"/75 mm	3.0"/75 mm	
<b>Maximum Print Length</b>		23.6"/600mm					unlimited	
<b>Print Speed</b>		6"/152 mm per second		5.9"/150 mm per second		3.0"/75mm/s	3.9"/100mm/s	
<b>Autocutter</b>		Autocutter						
<b>Electrical</b>		24Vdc +/-5% average of 2A when printing,			6A max		11A max	12A max
<b>Interface</b>		USB	RS232&USB	LPT/RS232 /USB	RS232	USB/RS232s	IEEE-1284&USB	
<b>Media Sensors</b>		External paper-low(near end) , Out-of-paper, paper in presenter, black mark, and input for external paper-low						
<b>OS compatibility</b>		XP, WIN 7, POS ready, WinCE, XPe, WES, Linux2.6&above, Ubuntu9&above, Fedora10&above						
<b>Add-ons</b>		Interface optional/RAM/Paper guide/Power supply/paper rack/paper-low sensor/paper outlet						





### Reference customers/参考客户:





For office use only/本公司专用

24

## Contacts/联系方式:

**Shenzhen ZHONGKONG Computers Co. Ltd/深圳中控计算机有限公司**

*Add: No 232, Guanpin Rd., Guanlan St., LongHua Xinqu, Shenzhen 518000, China*

*深圳市龙华新区观澜街道观平路 232 号*

*Email: sales@zktek.com*

*Tel: +86 755-26983900*

*Fax: +86 755-26983901*

*Web: <http://www.zktek.com>*

2014 © Shenzhen ZHONGKONG Computers Co Ltd

【ZHONGKONG GROUP COMPANY LIMITED】

【中控集团】深圳中控计算机有限公司

[www.zktek.com](http://www.zktek.com)

All rights reserved

